



JIAXING XINGCHENG ELECTRONICS CO., LTD. 嘉兴星程电子有限公司

No.268 Yunsi West Road, Dayun, Jiashan Zhejiang 314113, China
浙江省嘉善县大云镇云寺西路268号

0086-573-84222939/84224710

0086-573-84221131

Sales@xingcheng.net

www.xingcheng.net

BICYCLE LIGHT

2026 - 2027 CATALOGUE

- Better bicycle lights for a safer riding -



INTRODUCTION

Jiaxing Xingcheng Electronics Co., Ltd. is a high-tech enterprise which mainly deals in bicycle light, E-bike light, sales and agency, wireless charger, energy-saving lighting product research and development, production. The company is located in Sino-German industrial park, DaYun. It covers an area of 39,000 square meters, the building area of 70,000 square meters and 560 employees. The leading product technology covers the optics, electronics, computer, molds, precision machinery, chemical analysis and other disciplines.

As a pioneer and leader in the field of bicycle lamp and E-bike lights, the company is one of the few manufacturers in China that can realize the R&D and large-scale standardized mass production of bicycle lamp in accordance with national standards, German standards, French standards, Japanese JIS and other national standards. It's the leading of drafting and enactor for the national standard 《GB/T 31887.1 Bicycle - Lighting and Retro-reflective Devices - Part 1: Lighting and Light Signal Devices》. The company has the close technical cooperation with Institute of Optics, Zhejiang University and Shanghai Jiao Tong University.

It has the international advanced optical testing laboratory, The company can provide customers with a full range of product design, mold, production, testing and operation service.

企业介绍

嘉兴星程电子有限公司是一家主营自行车灯、电动自行车灯、无线充电器、节能照明产品研发、生产、销售及代理为一体的高科技企业。公司位于大云中德产业园，占地39000平方米，厂房面积70000平方米，员工560人，主导产品技术涵盖了光学、电子学、计算机、模具、精密机械、化学分析等多学科领域。

作为自行车灯、电动车灯领域的开拓者与领导者，公司是国内上少数几个能实现符合国标、德标、法标、日本JIS等多个国家标准的自行车灯的研发与规模化、标准化批量生产的厂家，是《GB/T 31887.1 自行车 照明和回复反射装置 第1部分 照明和光信号装置》国家标准主导起草、制定单位，与浙江大学光学研究院、上海交通大学有着密切的技术合作关系。拥有国际先进的光学测试实验室，可为客户提供全套的产品设计、开模、生产、检测和运营服务。

Contents

目录

04



BICYCLE FRONT LIGHTS

Rechargeable 04-09
Battery 10-13
Front fork fit 14-16

自行车前灯

前灯充电款 04-09
前灯干电池款 10-13
前灯前叉款 14-16

04-16

16



BICYCLE SAFETY LIGHTS

Rechargeable 17-25
Battery 26-34
Carrier fir / Fender fit 35-38

自行车安全灯

尾灯充电款 17-25
尾灯干电池款 26-34
挡泥板/衣架款 35-38

17-38

38




E-BIKE FRONT LIGHTS

电动车前灯

39-46

45



E-BIKE SAFETY LIGHTS

电动车安全灯

47-51

51



LABORATORY & PRODUCTION LINE

实验室和生产线

53

BICYCLE FRONT LIGHTS

- Rechargeable
- Battery
- Front fork fit



Rechargeable



NEW

ART.NO. **XC-FL1**

Material: Aluminum/PC

Light source: 1 x 6-core high-brightness LED

Functions: 100% Low Beam - 75%Low Beam- 25%Low Beam
- Low Beam Flashing - Off-High Beam Function

Article size: 95.3x42x42mm

Battery size: Rechargeable lithium battery 4400mAh



NEW

ART.NO. **XC-2310**

Material: Aluminum/PC

Light source: 1 x 3-core high-brightness LED

Functions: 100% steady-75% steady -25%steady - Flashing - Off

Article size: 110.6x31x34mm

Battery size: Rechargeable lithium battery 4500mAh



NEW

ART.NO. **XC-2364**

Material: Aluminum/PC

Light source: 1 x 3-core high-brightness LED

Functions: 100% steady-75% steady -25%steady - Flashing - Off

Article size: 64x59x31mm

Battery size: Rechargeable lithium battery 3200mAh



NEW

ART.NO. **XC-F1**


Material: Aluminum/PC

Light source: 1 x 3-core high-brightness LED

Functions: 100% steady-75% steady -25%steady - Flashing - Off

Article size: 95.3x42x42mm

Battery size: Rechargeable lithium battery 2500mAh



NEW

ART.NO. **XC-2403**

Material: Aluminum/PC


Light source: 1 x 3-core high-brightness LED

Functions: 100% steady-75% steady -25%steady - 15%steady - Off

Article size: 113x31x34mm

Battery size: Rechargeable lithium battery 4500mAh

Standard: K-Mark



NEW

ART.NO. **XC-2364HB**

Material: Aluminum/PC

Light source: 1 x 3-core high-brightness LED &
1 x 3535 high-brightness LEDFunctions: 100% Low Beam - 75%Low Beam - 25%Low Beam -
Low Beam Flashing - Off-High Beam Function

Article size: 64x59x31mm

Battery size: Rechargeable lithium battery 3200mAh



NEW

ART.NO. **XC-2365**


Material: PC

Light source: 1 x 3535 high-brightness LED

Functions: 100% steady-75% steady -25%steady - Flashing - Off

Article size: 102x31x31mm

Battery size: Rechargeable lithium battery 2500mAh



NEW


ART.NO. **XC-2308**

Aluminium alloy

Functions: 50%Low beam-100%Low beam-50%high
beam-100%high beam-flash-off (Hold 3 seconds)

Article size: 100x43x28mm


Battery size: rechargeable 3.7V 5200mAh

ART.NO. **XC-2301**

Functions: 100%steady-50%steady- flash-off

Article size: 98.9 X 34.5 X 31.3mm

Battery size: rechargeable 3.7V 2500mAh

ART.NO. **XC-365**

Functions: 25%-50%-75%-100%steady- flash-off

Article size: 111.5x48.5x34mm

Battery size: rechargeable 3.7V 4000mAh



NEW

ART.NO. **XC-2316**

Material: PC/ABS

Light source: 1 x 3535 high-brightness LED

Functions: 100%steady-50%steady- Flashing - Off

Article size: 74.8x27x27mm

Battery size: AAX2



NEW


ART.NO. **XC-2307**

Aluminium alloy

Functions: 50%Low beam-100%Low beam-50%high
beam-100%high beam-flash-off (Hold 3 seconds)

Article size: 100x43x28mm



Battery size: rechargeable 3.7V 5200mAh

ART.NO. **XC-2301A**

Functions: 100%steady-50%steady-flash-off


Article size: 98.9 X 34.5 X 31.3mm

Battery size: rechargeable 3.7V 2500mAh

ART.NO. **XC-383**

Functions: 100%-50%steady-flash-off

Article size: 30X30X108mm

Battery size: rechargeable 3.7V 2000mAh
with battery indicator

BRACKET B The lens rotates 180°

ART.NO. **XC-311**

Aluminium alloy

Functions: 25%-50%-75%-100%steady-flash-off

Article size: 114×30×30mm

Battery size: rechargeable 3.7V 2600mAh

ART.NO. **XC-311A**

Aluminium alloy

Functions: 25%-50%-75%-100%steady- flash-off

Article size: 114×30×30mm

Battery size: rechargeable 3.7V 2600mAh

ART.NO. **XC-366A**

OSRAM LED Aluminium alloy

Functions: 100%-50%-ECO-

25%steady-flash

POWER BANK

Article size: 116×36×36mm

Battery size: 4500mAh 5V-2A

ART.NO. **XC-366C**

OSRAM LED Aluminium alloy

Functions: 100%-50%-25%-ECO-

fast flash-slow flash

Article size: 103×29×28mm

Battery size:

3.7V 2000mAh for 400Lm type

3.7V 2500mAh for 800 Lm type

ART.NO. **XC-366B**

OSRAM LED Aluminium alloy

Functions: 100%-50%-25%-ECO-


fast flash-slow flash

Article size: 112×29×29mm

Battery size:

3.7V 2000mAh for 400Lm type

3.7V 2500mAh for 800Lm type

ART.NO. **XC-366D**

OSRAM LED Aluminium alloy

Functions: 100%-50%-25%-ECO-

fast flash-slow flash

Article size: 103×29×28mm

Battery size:

3.7V 2000mAh for 400Lm type

3.7V 2500mAh for 800 Lm type

ART.NO. **XC-283L**

Functions: 100%-70%-50%-25%steady-2 flash-off

Article size: 94×31.6×36mm

Battery size: rechargeable 3.7V 1500mAh

ART.NO. **XC-293**

Sensor automatic

Functions: 100%-50%-25%steady-flash-off

Article size: 98×40×43mm

Battery size: rechargeable 3.7V 1500mAh

ART.NO. **XC-241**

Functions: 100%-50%steady-flash-off

Article size: 91×33×40mm

Battery size: rechargeable 3.7V 1500mAh

ART.NO. **XC-256**

Functions: 100%-50%steady-flash-off

Article size: 100×40×38mm

Battery size: rechargeable 3.7V 1500mAh


ART.NO. **XC-283LS**

Sensor automatic

Functions: 100%-70%-50%-25%steady-2 flash-off

Article size: 94×31.6×36mm

Battery size: rechargeable 3.7V 1500mAh

ART.NO. **XC-282L**

Aluminium alloy

Functions: 25%-50%-75%-100%steady-flash-off

Article size: 111×31×34mm

Battery size: rechargeable 3.7V 2500mAh

ART.NO. **XC-107A**

Aluminium alloy

Functions: steady- flash-camping lamp-off

Article size: 85×21mm

Battery size: rechargeable 3.7V 500mAh

ART.NO. **XC-215**

Functions: 100%-50%steady-flash-off

Article size: 106×40.3×40mm

Battery size: rechargeable 3.7V 2000mAh





ART.NO. XC-222

Aluminium alloy

Functions: 100%-70%-50%-25%steady-flash-off

Article size: 105.2x35.5x37mm

Battery size: rechargeable 3.7V 2000mAh



ART.NO. XC-222A

Aluminium alloy

Functions: 100%-70%-50%-25%steady-flash-off

Article size: 105.2x35.5x37mm

Battery size: rechargeable 3.7V 2000mAh



ART.NO. XC-225

Aluminium alloy

Functions: 100%-50%steady-flash-off

Article size: 69x24x29mm

Battery size: rechargeable 3.7V 600mAh



ART.NO. XC-188

Functions: 100%-50%steady-flash-off

Article size: 80x43.5x38mm

Battery size: rechargeable 3.7V 1000mAh



ART.NO. XC-240

Functions: 100%-50%steady-flash-off

Article size: 73x39x28mm

Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-122

Functions: 100%-50%steady-flash-off

Article size: 82x34.5x32.8mm

Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-141

Functions: 100%-50%steady-flash-off

Article size: 98.3x48x33.3mm

Battery size: rechargeable 3.7V 1000mAh



ART.NO. XC-162

Functions: 100%-50%steady-flash-off

Article size: 85.5x33.5x33.1mm

Battery size: rechargeable 3.7V 650mAh



Battery



IPX7

ART.NO. XC-347

Functions: 50%-100%steady-flash-breathe flash-off

Article size: 77.7x37.3x31.5mm

Battery size: AAAx3



IPX7

ART.NO. XC-347A

Functions: 50%-100%steady-flash-breathe flash-off

Article size: 77.7x37.3x31.5mm

Battery size: AAAx3



ART.NO. XC-255

Functions: 100%-50%steady-flash-off

Article size: 90x32x36mm

Battery size: AAAx3



ART.NO. XC-280

Functions: steady-2flash-off

Article size: 80x34x38mm

Battery size: AAAx3



**ART.NO. XC-163**

Functions: steady-flash-flash-off
Article size: 87×30×33mm
Battery size: AAA×3

**ART.NO. XC-192**

Functions: steady-flash-flash-off
Article size: 100×45×32mm
Battery size: AA×2

**ART.NO. XC-104A**


Functions: steady-flash-flash-off
Article size: 82.3×34.3×30.5mm
Battery size: AAA×3

**ART.NO. XC-213**

Functions: 100%-50%steady-flash-off
Article size: 98×34×34.5mm
Battery size: AA×2

**ART.NO. XC-785**


Functions: steady-flash-flash-off
Article size: 103×37×36mm
Battery size: AAA×3

**ART.NO. XC-104B**


Functions: steady-flash-flash-off
Article size: 82.3×34.3×30.5mm
Battery size: AAA×3

**ART.NO. XC-224**

Functions: 100%-50%steady-flash-off
Article size: 100×35×35.5mm
Battery size: AA×2

**ART.NO. XC-214**

Functions: steady-flash-flash-off
Article size: 87×30×33mm
Battery size: AAA×3

**ART.NO. XC-100**

Functions: steady-flash-flash-off
Article size: 95×35×35mm
Battery size: AAA×4

**ART.NO. XC-140**

Functions: steady-flash-flash-off
Article size: 99×26×27mm
Battery size: AA×1

**ART.NO. XC-754**

Functions: steady-flash-flash-off
Article size: 92×35×44mm
Battery size: AAA×3

**ART.NO. XC-715L**

Functions: steady-off
Article size: 117×62×50mm
Battery size: AA×4

**ART.NO. XC-722A**

Functions: steady-flash-off
Article size: 98×32×32mm
Battery size: AAA×3

**ART.NO. XC-769**

Functions: steady-flash-flash-off
Article size: 84×40×40mm
Battery size: AAA×3

**ART.NO. XC-743A**

Functions: steady-flash-flash-off
Article size: 105×55×47mm
Battery size: AA×4

**ART.NO. XC-107**

Functions: steady-flash-off
Article size: 111×32×32mm
Battery size: AAA×3

**ART.NO. XC-296**


Functions: steady-flash-off
Article size: 84×30×29mm
Battery size: AA×1






ART.NO. XC-981

Functions: steady-flash-flash-off
Article size: 104×38×38mm
Battery size: AAA×4



ART.NO. XC-129

Functions: steady-flash-flash-off
Article size: 82.3×34.3×30.5mm
Battery size: AAA×3




ART.NO. XC-735A

Functions: steady-flash-flash-off
Article size: 104×36×36mm
Battery size: AAA×4




ART.NO. XC-988A

Functions: steady-flash-flash-off
Article size: 80×40×33mm
Battery size: AAA×3



ART.NO. XC-982

Functions: steady-flash-flash-off
Article size: 104×38×38mm
Battery size: AAA×4



ART.NO. XC-761

Functions: steady-flash-flash-off
Article size: 83×38×44mm
Battery size: AAA×3




ART.NO. XC-735

Functions: steady-flash-flash-off
Article size: 103×36×36mm
Battery size: AAA×4



ART.NO. XC-988

Functions: steady-flash-flash-off
Article size: 80×40×33mm
Battery size: AAA×3



Front fork fit



ART.NO. XC-263

With built reflector(E1)
Functions: 100%-50%steady-off
Article size: 74×60×70mm
Battery size: AAA×4



ART.NO. XC-764A

Functions: steady-off
Article size: 75×91×98mm
Battery size: AAA×3



ART.NO. XC-159

Functions: steady-off
With built reflector
Article size: 76×76×40mm
Battery size: AAA×3



ART.NO. XC-230

With built reflector
Functions: steady-off
Article size: 74×60×70mm
Battery size: AAA×4



ART.NO. XC-764B

Functions: steady-off
Article size: 75×91×98mm
Battery size: AAA×3



ART.NO. XC-211

With built reflector
Functions: steady-flash-off
Article size: 91×49×48mm
Battery size: AA×2






ART.NO. XC-210

With built reflector(E1)
Functions: steady-flash-off
Article size: 69x50x35mm
Battery size: AAAx3




ART.NO. XC-779

With built reflector
Functions: steady-flash-off
Article size: 97x53x65mm
Battery size: AAx2



ART.NO. XC-153W

Functions: steady-flash-off
Article size: 48x36x51mm
Battery size: CR2032x2



ART.NO. XC-989

With built reflector(E1)
Functions: steady-flash-off
Article size: 77x42x39mm
Battery size: AAAx2



ART.NO. XC-264

Article size: 40x40x60mm
Spec: 6V/2.4W




ART.NO. XC-295D

With built reflector
Article size: 40x60x39mm
Spec: 6V/2.4W



ART.NO. XC-259A-D

With built reflector
Functions: on-off
Article size: 53x40x52mm
Spec: 6V/2.4W



ART.NO. XC-259A-CS

Sensor automatic-on-off
With stand light
With built reflector
Article size: 53x40x52mm
Spec: 6V/2.4W



ART.NO. XC-259A-C

With stand light
With built reflector
Article size: 53x40x52mm
Spec: 6V/2.4W



ART.NO. XC-109

With built reflector
Article size: 64x64x63mm
Spec: 6V/2.4W



ART.NO. XC-109C

With stand light
With built reflector
Article size: 64x64x64mm
Spec: 6V/2.4W



ART.NO. XC-110

With built reflector
Functions: on-off
Article size: 76x64x72mm
Spec: 6V/2.4W



ART.NO. XC-110C

With stand light
With built reflector
Functions: on-off
Article size: 76x64x72mm
Spec: 6V/2.4W



ART.NO. XC-125

With built reflector
Functions: on-off
Article size: 86x69x69mm
Spec: 6V/2.4W



ART.NO. XC-125C

With stand light
With built reflector
Functions: on-off
Article size: 86x69x69mm
Spec: 6V/2.4W



BICYCLE SAFETY LIGHTS

- Rechargeable
- Battery
- Carrier fir / Fender fit



Rechargeable



ART.NO. **XC-R1**

Material: PC

Light source: 12x 4014LED & 1x2853 LED

Functions: 100% steady -50% steady -Breathing flash
-Flash - Off-Brake function

Article size: 38x37x22.5mm

Battery size: Rechargeable lithium battery 320mAh




ART.NO. **XC-2305**

Functions: 100%-50%steady-flash-flash-off
COB(20PCS 3014 LED)

Article size: 53.3x27x23.1mm

Battery size: rechargeable 3.7V 680mAh




ART.NO. **XC-2305P**

Functions: 100%-50%steady-flash-flash-off
COB(20PCS 3014 LED+2PCS 2335 LED)

Article size: 53.3x27x23.1mm

Battery size: rechargeable 3.7V 680mAh



ART.NO. **XC-298R-B**

Functions: highlight-steady-4 flash-off

Article size: 80.5x22.5x22mm

Battery size: rechargeable 3.7V 710mAh



ART.NO. **XC-2363**


Material: PC

Light source: COB Light Strip with 15 LEDs

Functions: 100% - 50%steady - flash -off

Article size: 64.6x18.8x27.5mm

Battery size: Rechargeable lithium battery 320mAh



ART.NO. **XC-2312**


Material: PC

Light source: COB Light Strip with 50 LEDs

Functions: 100% steady -50% steady -Breathing flash
- Flash - Off-Brake function

Article size: 66x14x29mm

Battery size: Rechargeable lithium battery 400mAh




ART.NO. **XC-2302**

Functions: 100%-50%steady-3flash-oFF

Article size:66.4 X 279X 22.1mm

Battery size: rechargeable 3.7V 320mAh



ART.NO. **XC-238R-B**

Functions: 100%-50%steady-flash-off

Article size: 62x17x27mm


Battery size: rechargeable 3.7V 320mAh






ART.NO. **XC-2309**

Functions: 100%-50%steady-flash-off
9pcs red LED
Article size: 48.6*48.6*23.4mm
Battery size: rechargeable 3.7V 500mAh



ART.NO. **XC-384W**

Functions: 100%-50%steady-flash-off
Article size: 45.5x19.5x41mm
Battery size: rechargeable 3.7V 300mAh




ART.NO. **XC-385W**

Functions: 100%-50%steady-flash-off
Article size: 60x14.5x40.5mm
Battery size: AAA X 2




ART.NO. **XC-384R**

Functions: 100%-50%steady-flash-off
Article size: 45.5x19.5x41mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. **XC-385R**

Functions: 100%-50%steady-flash-off
Article size: 60x14.5x40.5mm
Battery size: AAA X 2



ART.NO. **XC-350W**

COB LED
Functions: 100%steady-50%steady-100%flash-50%flash-flash-breathe flash-off
Article size: 43x28x56mm
Battery size: rechargeable 3.7V 680mAh



ART.NO. **XC-350R**

COB LED
Functions: 100%steady-50%steady-100%flash-50%flash-flash-breathe flash-off
Article size: 43x28x56mm
Battery size: rechargeable 3.7V 680mAh



ART.NO. **XC-373R**

Functions: 100%-50%steady-flash-off
Article size: 52x29.5x18.3mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. **XC-363**

Rear light USB rechargeable
20 4014 red LED
Functions: highlight-steady-4 flash-off
Article size: 43x43x23mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. **XC-299W**

Functions: steady-50%steady- flash-off
Article size: 30x47.5x23mm
Battery size: rechargeable 3.7V 680mAh



ART.NO. **XC-299R**

Functions: steady-50%steady-2 flash-off
Article size: 30x47.5x23mm
Battery size: rechargeable 3.7V 680mAh



ART.NO. **XC-285W**

Functions: highlight-steady-flash-off
Article size: 42x28.5x25.5mm
Battery size: rechargeable 3.7V 450mAh



ART.NO. **XC-285R**

Functions: Highlight-steady-4 flash-off
Article size: 42x28.5x25.5mm
Battery size: rechargeable 3.7V 450mAh



ART.NO. **XC-298W**

Functions: highlight-steady-4 flash-off
Article size: 80.5x22.5x22mm
Battery size: rechargeable 3.7V 710mAh



ART.NO. **XC-298R**

Functions: highlight-steady-4 flash-off
Article size: 80.5x22.5x22mm
Battery size: rechargeable 3.7V 710mAh



ART.NO. **XC-369**

LD+5PCS 3528 LED
LD: slow flash-fast flash-steady
LED: flash-flash-steady
Article size: 95x28x23mm
Battery size: rechargeable 3.7V 500mAh



ART.NO. **XC-370**

Functions: steady-5 flash-off
Article size: 86x23mm
Battery size: rechargeable 3.7V 800mAh





ART.NO. **XC-386W**

Functions: 100%-50%steady-flash-off
Article size: 100X36X42mm
Battery size: rechargeable 3.7V 210mAh



ART.NO. **XC-386R**

Functions: 100%-50%steady-flash-off
Article size: 100X36X42mm
Battery size: rechargeable 3.7V 210mAh



ART.NO. **XC-310L**

Functions: highlight-steady-flash-off
Article size: 38.5x38.5x19mm
Battery size: rechargeable 3.7V 450mAh



ART.NO. **XC-310SP**

Sensor automatic brake light
Functions: highlight-steady-flash-off
Article size: 38.5x38.5x19mm
Battery size: rechargeable 3.7V 450mAh



ART.NO. **XC-294**

Functions: steady-flash-off
Article size: 47x28x22mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. **XC-279L**

Functions: 100%-50%steady-flash-off
Article size: 47x47x22mm
Battery size: rechargeable 3.7V 260mAh



ART.NO. **XC-270W**

Functions: 100%-50%steady-flash-off
Article size: 86.5x38.5x32mm
Battery size: rechargeable 3.7V 260mAh




ART.NO. **XC-270R**

Functions: 100%-50%steady-flash-off
Article size: 86.5x38.5x32mm
Battery size: rechargeable 3.7V 260mAh



ART.NO. **XC-142**

Functions: steady-1/2steady-flash-off
Article size: 65x34x32mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. **XC-251C**

Functions: 3 steady-3 flash-off
Battery size: rechargeable 3.7V 650mAh



ART.NO. **XC-238R**

Functions: 100%-50%steady-flash-off
Article size: 62x17x27mm
Battery size: rechargeable 3.7V 320mAh




ART.NO. **XC-238W**

Functions: 100%-50%steady-flash-off
Article size: 62x17x27mm
Battery size: rechargeable 3.7V 320mAh



ART.NO. **XC-238SP**

Sensor automatic brake light
Sensor automatic steady-steady-flash
Article size: 62x17x27mm
Battery size: rechargeable 3.7V 320mAh



ART.NO. **XC-216**

Functions: 100%-50%steady-flash-off
Article size: 48x28x21mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. **XC-251W**

Super strong, strong, standard
1/2 flash, flash, strobe
Article size: 69x25x22mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. **XC-251R**

Super strong, strong, standard
1/2 flash, flash, strobe
Article size: 69x25x22mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. **XC-918W**

Functions: steady-3flash-off
Article size: 75x25x20mm
Battery size: rechargeable 3.7V 160mAh



ART.NO. **XC-918R**

Functions: steady-3flash-off
Article size: 75x25x20mm
Battery size: rechargeable 3.7V 160mAh





ART.NO. XC-181W

Functions: 100%-50%steady-flash-off
Article size: 79×31.2×22.3mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-181R

Functions: 100%-50%steady-flash-off
Article size: 79×31.2×22.3mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-183W

Aluminum alloy
Functions: 100%-50%steady-flash-off
Article size: 28.6×33.4mm
Battery size: rechargeable 3.7V 220mAh



ART.NO. XC-183R

Aluminum alloy
Functions: 100%-50%steady-flash-off
Article size: 28.6×33.4mm
Battery size: rechargeable 3.7V 220mAh



ART.NO. XC-179W

Functions: steady-flash-off
Article size: 69×31×29mm
Battery size: rechargeable 3.7V 300mAh




ART.NO. XC-179R

Functions: steady-flash-off
Article size: 69×31×29mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-180W

Functions: 100%-50%steady-flash-off
Article size: 63×38×25mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-180R

Functions: 100%-50%steady-flash-off
Article size: 63×38×25mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-235W

Functions: 100%-50%steady-flash-off
Article size: 45×28×20mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-235R

Functions: 100%-50%steady-flash-off
Article size: 45×28×20mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-235/XC-235A

Functions: steady-flash-off
Article size: 45×28×20mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-122R

Functions: 100%-50%steady-flash-off
Article size: 82×34.5×32.8mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-147

Functions: steady-flash-off
Article size: 56×37×16mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-147R

Functions: steady-flash-off
Article size: 56×37×16mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-170W

Functions: 100%-50%steady-flash-off
Article size: 56.5×33.9×31.7mm
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-170R

Functions: 100%-50%steady-flash-off
Article size: 56.5×33.9×31.7mm
Battery size: rechargeable 3.7V 300mAh






ART.NO. XC-234
No friction
Magnetic bike lights
Article size: 44.5x44x23.5mm



ART.NO. XC-245
Brake light & turn light
Article size: 69x49x25mm
Battery size: rechargeable 3.7V 500mAh




ART.NO. XC-258
Head lamp Rechargeable (Sensor)
Functions: Sensor automatic-steady-1/2steady-off
Long press: red light
Article size: 61x44x44mm
Battery size: rechargeable 3.7V 1000mAh



ART.NO. XC-337
Running light
4pcs red LED
Be seen distance: 100 meters
Magnetic power without batteries
Size: 62.8x23x30mm



ART.NO. XC-345
Mini camping light
Camping lamp: 150 Lm / torch: 90 Lm
Function: Camp light / torch
Size: 83x36x36mm
Battery: 4xAAA



ART.NO. XC-372
Long press the switch to adjust the volume
Volume: 90-110dB
Article size: 40x50x25mm
Colour: black/blue/red
Battery size: rechargeable 3.7V 300mAh



ART.NO. XC-367A
Functions: manual switch + vibration sensing
12pcs LED
Wheel diameter: <39mm
Article size: 9.8x1.9mm
Battery size: rechargeable 3.7V 350mAh



ART.NO. XC-367B
Functions: manual switch + vibration sensing
12pcs LED
Wheel diameter: <30mm
Article size: 8.2x1.6mm
Battery size: rechargeable 3.7V 300mAh




ART.NO. XC-254
Variety of patterns and optional brightness & color
Battery size: rechargeable 3.7V 300mAh




Battery




ART.NO. XC-348R
Functions: 50%-100%steady-flash-breathe flash-off
Article size: 65.5x32.9x25.2cm
Battery size: AAAx2



ART.NO. XC-348W
Functions: 50%-100%steady-flash-breathe flash-off
Article size: 65.5x32.9x25.2cm
Battery size: AAAx2




ART.NO. XC-348CR
Functions: 50%-100%steady-flash-breathe flash-off
Article size: 65.5x32.9x25.2cm
Battery size: AAAx2




ART.NO. XC-348CW
Functions: 50%-100%steady-flash-breathe flash-off
Article size: 65.5x32.9x25.2cm
Battery size: AAAx2





ART.NO. XC-326
Functions: 100%-50%steady-flash-off
Article size: 59x29x27mm
Battery size: AAAx2



ART.NO. XC-326A
Functions: 100%-50%steady-flash-off
Article size: 59x29x27mm
Battery size: AAAx2



ART.NO. XC-326B
Functions: 100%-50%steady-flash-off
Article size: 59x29x27mm
Battery size: AAAx2





ART.NO. XC-239W

Functions: 100%-50%steady-flash-off
Article size: 63x39x20mm
Battery size: AAAx2



ART.NO. XC-239R

Functions: 100%-50%steady-flash-off
Article size: 63x39x20mm
Battery size: AAAx2



ART.NO. XC-239W-5

Functions: 100%-50%steady-flash-off
Article size: 63x39x20mm
Battery size: AAAx2



ART.NO. XC-239R-5

Functions: 100%-50%steady-flash-off
Article size: 63x39x20mm
Battery size: AAAx2



ART.NO. XC-257W

Functions: steady-flash-off
Article size: 64x37x24mm
Battery size: AAAx2



ART.NO. XC-257R

Functions: steady-flash-off
Article size: 64x37x24mm
Battery size: AAAx2



ART.NO. XC-212W

Functions: steady-flash-chasing-off
Article size: 65x40x24mm
Battery size: AAAx2



ART.NO. XC-212R

Functions: steady-flash-chasing-off
Article size: 65x40x24mm
Battery size: AAAx2




ART.NO. XC-193W

Functions: flash-2chasing-steady-off
Article size: 51x21x28mm
Battery size: AAAx1



ART.NO. XC-193R

Functions: flash-2chasing-steady-off
Article size: 51x21x28mm
Battery size: AAAx1



ART.NO. XC-243W

Functions: 100%-50%steady-flash-off
Article size: 61x17x32mm
Battery size: CR2032x2




ART.NO. XC-243R

Functions: 100%-50%steady-flash-off
Article size: 61x17x32mm
Battery size: CR2032x2



ART.NO. XC-161W

Functions: flash-steady-off
Article size: 28.3x26.6mm
Battery size: CR2032x2




ART.NO. XC-161R

Functions: flash-steady-off
Article size: 28.3x26.6mm
Battery size: CR2032x2



ART.NO. XC-151W

Functions: flash-2chasing-steady-off
Article size: 69x31x29mm
Battery size: AAAx2



ART.NO. XC-151R

Functions: flash-2chasing-steady-off
Article size: 69x31x29mm
Battery size: AAAx2





ART.NO. **XC-135W**

Functions: steady-flash-chasing-off
Article size: 75.3x36x33mm
Battery size: AAAx2




ART.NO. **XC-135R**

Functions: steady-flash-chasing-off
Article size: 75.3x36x33mm
Battery size: AAAx2



ART.NO. **XC-783W**

Functions: steady-flash-chasing-off
Article size: 66x40x36mm
Battery size: AAAx2




ART.NO. **XC-783R**

Functions: steady-flash-chasing-off
Article size: 66x40x36mm
Battery size: AAAx2



ART.NO. **XC-305FL**

Functions: flash-steady-off
Article size: 64.6x34.1x33mm
Battery size: AAAx2




ART.NO. **XC-305L**

Functions: flash-steady-off
Article size: 64.6x34.1x33mm
Battery size: AAAx2



ART.NO. **XC-305C**

Functions: steady-flash-chasing-off
Article size: 65x41x35mm
Battery size: AAAx2



ART.NO. **XC-305**

Functions: steady-flash-chasing-off
Article size: 65x41x35mm
Battery size: AAAx2



ART.NO. **XC-115W**

Functions: flash-steady-off
Article size: 64.6x34.1x33mm
Battery size: AAAx2



ART.NO. **XC-115R**

Functions: flash-steady-off
Article size: 64.6x34.1x33mm
Battery size: AAAx2



ART.NO. **XC-905F**

Functions: steady-6flash-off
Article size: 69x34x33mm
Battery size: AAAx2




ART.NO. **XC-905T**

Functions: steady-6flash-off
Article size: 69x34x33mm
Battery size: AAAx2




ART.NO. **XC-305B**

Functions: steady-flash-chasing-off
Article size: 64.6x34.1x33mm
Battery size: AAAx2



ART.NO. **XC-305A**

Functions: steady-flash-chasing-off
Article size: 64.6x34.1x33mm
Battery size: AAAx2



ART.NO. **XC-748F**

Functions: flash-2chasing-steady-off
Article size: 76.8x44.2x34.7mm
Battery size: AAAx2



ART.NO. **XC-748T**

Functions: flash-2chasing-steady-off
Article size: 76.8x44.2x34.7mm
Battery size: AAAx2






ART.NO. XC-744FL

Functions: flash-steady-off
Article size: 68x35x45mm
Battery size: AAAx2



ART.NO. XC-744L

Functions: flash-steady-off
Article size: 68x35x45mm
Battery size: AAAx2




ART.NO. XC-744F

Functions: steady-flash-chasing-off
Article size: 68x35x45mm
Battery size: AAAx2



ART.NO. XC-744T

Functions: steady-flash-chasing-off
Article size: 68x35x45mm
Battery size: AAAx2



ART.NO. XC-718F

Functions: steady-flash-chasing-off
Article size: 75x43x40mm
Battery size: AAAx2



ART.NO. XC-718T

Functions: steady-flash-chasing-off
Article size: 75x43x40mm
Battery size: AAAx2




ART.NO. XC-998W

Functions: steady-flash-chasing-off
Article size: 65x53x27mm
Battery size: AAAx2




ART.NO. XC-998R

Functions: steady-flash-chasing-off
Article size: 65x53x27mm
Battery size: AAAx2



ART.NO. XC-714F

Functions: steady-flash-chasing-off
Article size: 60x38x32mm
Battery size: AAAx2



ART.NO. XC-714T

Functions: steady-flash-chasing-off
Article size: 60x38x32mm
Battery size: AAAx2



ART.NO. XC-771F

Functions: steady-flash-chasing-off
Article size: 71x40x40mm
Battery size: AAAx2



ART.NO. XC-771T

Functions: steady-flash-chasing-off
Article size: 71x40x40mm
Battery size: AAAx2



ART.NO. XC-993W

Functions: steady-flash-chasing-off
Article size: 70x43x36mm
Battery size: AAAx2



ART.NO. XC-993R

Functions: steady-flash-chasing-off
Article size: 70x43x36mm
Battery size: AAAx2



ART.NO. XC-770F

Functions: steady-flash-chasing-off
Article size: 64x31x41mm
Battery size: AAAx2



ART.NO. XC-770T

Functions: steady-flash-chasing-off
Article size: 64x31x41mm
Battery size: AAAx2



ART.NO. **XC-767F**

Functions: steady-flash-chasing-off
Article size: 62×70×33mm
Battery size: AAA×2

ART.NO. **XC-767T**

Functions: steady-flash-chasing-off
Article size: 62×70×33mm
Battery size: AAA×2

ART.NO. **XC-999**

Functions: steady-3flash-off
Article size: 110×34×23mm
Battery size: AAA×2

ART.NO. **XC-103**


Functions: steady-flash-chasing-off
Article size: 78×58×25mm
Battery size: AAA×2

ART.NO. **XC-102**

Functions: steady-flash-chasing-off
Article size: 64×33×54mm
Battery size: AAA×2

ART.NO. **XC-250**


Functions: steady-flash-flash-off
Colour: white/red/coloured
Battery size: CR2032×2

ART.NO. **XC-221**


Functions: steady-flash-flash-off
Colour: white/red/coloured
Battery size: CR2032×2

ART.NO. **XC-995**


Functions: steady-flash-flash-off
Colour: white/red/coloured
Battery size: CR2032×2

ART.NO. **XC-108**

Functions: steady-flash-flash-off
Colour: white/red/coloured
Battery size: CR2032×2

ART.NO. **XC-134**


Functions: steady-flash-flash-off
Colour: white/red/coloured
Battery size: CR2032×2

ART.NO. **XC-1000F**


Functions: steady-flash-flash-off
Colour: white/red/coloured
Battery size: CR2032×2

ART.NO. **XC-164**

Functions: steady-flash-flash-off
Colour: white/red/coloured
Battery size: CR2032×2

ART.NO. **XC-190**

Functions: steady-flash-flash-off
Colour: white/red/coloured
Battery size: AAA×3

ART.NO. **XC-269**

With three sounds
Article size: 40×33×33,5mm
Battery size: CR2032×2

ART.NO. **XC-149**

With one sound
Article size: 42×39mm
Battery size: CR2032×2

ART.NO. **XC-292**

With 4 sound & 7 flashing
Battery size: AA×2

ART.NO. **XC-371**

Functions: sensor
Led colour: white/red/blue/coloured
Article size: 1.8×8,5mm
Battery size: AG13×3



Carrier fit/ Fender fit



ART.NO. XC-231

With built reflector
 Functions: steady-flash-off
 Article size: 73x36x43mm
 Battery size: AAAx2



ART.NO. XC-105

With built reflector(E1)
 Functions: steady-off
 Article size: 115x46x27mm
 80mm or 50mm Carrier fit mount
 Battery size: AAAx2



ART.NO. XC-286

With built reflector
 Functions: steady-flash-off
 Article size: 98x42x20mm
 80mm or 50mm Carrier fit mount
 Battery size: AAAx2




ART.NO. XC-199

Wireless Turning Rear light (Carrier fit)
 Steady & 5 flash
 With built reflector(E1)
 Article size: 98x46x22mm
 Battery size: AAAx2




ART.NO. XC-105S

With built reflector(E1)
 Functions: steady-off
 Article size: 115x46x27mm
 80mm or 50mm Carrier fit mount
 Battery size: AAAx2



ART.NO. XC-286P

Sensor automatic brake light
 With built reflector
 Functions: steady-flash-off
 Article size: 98x42x20mm
 80mm or 50mm Carrier fit mount
 Battery size: AAAx2



ART.NO. XC-291

With built reflector
 Functions: steady-50%steady-flash-off
 Article size: 104x44x19mm
 80mm or 50mm Carrier fit mount
 Battery size: AAAx2



ART.NO. XC-120

With built reflector
 Functions: steady-off
 Article size: 98x47x24mm
 80mm or 50mm Carrier fit mount
 Battery size: AAAx2



ART.NO. XC-986A

With built reflector(E1)
 Functions: steady-off
 Article size: 118x60x45mm
 80mm or 50mm Carrier fit mount
 Battery size: AAx2



ART.NO. XC-114

With built reflector(E1)
 Functions: steady-off
 Article size: 63x39x43mm
 Battery size: AAAx2



ART.NO. XC-262

With built reflector(E1)
 Functions: on-off
 Article size: 100x40x20mm
 80mm or 50mm Carrier fit mount
 Battery size: AAAx2



ART.NO. XC-120S

With built reflector
 Functions: steady-off
 Article size: 98x47x24mm
 80mm or 50mm Carrier fit mount
 Battery size: AAAx2



ART.NO. XC-986B

With built reflector(E1)
 Functions: steady-off
 Article size: 128x45x28mm
 80mm or 50mm Carrier fit mount
 Battery size: AAx2



ART.NO. XC-252

Sensor automatic-flash-off
 Article size: 43.5x47x48mm
 Battery size: Ni-Mh 1.2V 80mAh



ART.NO. **XC-984**

With built reflector
 Functions: flash-chasing-steady-off
 Article size: 77×34×44mm
 80mm or 50mm Carrier fit mount
 Battery size: AAA×2

ART.NO. **XC-984W**

With built reflector
 Functions: flash-chasing-steady-off
 Article size: 77×34×44mm
 80mm or 50mm Carrier fit mount
 Battery size: AAA×2

ART.NO. **XC-765**

With built reflector
 Functions: steady-off
 Article size: 110×58×35mm
 80mm or 50mm Carrier fit mount
 Battery size: AA×2

ART.NO. **XC-765B**

With built reflector
 Functions: on-off
 Article size: 100×45×20mm
 80mm or 50mm Carrier fit mount
 Battery size: AAA×2

ART.NO. **XC-781**


With built reflector
 Functions: steady-off
 Article size: 80×40×52mm
 Battery size: AAA×2

ART.NO. **XC-781A**

With built reflector
 Functions: steady-off
 Article size: 77×47×41mm
 Battery size: AAA×2

ART.NO. **XC-286C**


With built reflector
 Article size: 98×42×20mm
 80mm or 50mm Carrier fit mount
 Spec: 6V/0.6W

ART.NO. **XC-286D**

With built reflector
 Article size: 98×42×20mm
 80mm or 50mm Carrier fit mount
 Spec: 6V/0.6W

ART.NO. **XC-114D**

With built reflector
 Article size: 63×39×43mm
 Spec: 6V/0.6W

ART.NO. **XC-120D**

With built reflector
 Article size: 98×47×24mm
 80mm or 50mm Carrier fit mount
 Spec: 6V/0.6W

ART.NO. **XC-986C**

With built reflector(E1)
 With Standlight
 Article size: 118×60×45mm
 80mm or 50mm Carrier fit mount
 Spec: 6V/0.6W

ART.NO. **XC-105D**

With built reflector(E1)
 Article size: 115×46×27mm
 80mm or 50mm Carrier fit mount
 Spec: 6V/0.6W



E-BIKE FRONT LIGHTS




E-BIKE HANDLEBAR BRACKET 电动车前灯通用车把支架



SADDLE BRACKET 自行车尾灯鞍座通用支架




Assembling Process/安装步骤



Step: 01

Get ready for all the components
准备组装部件



Step: 02

Mount the rubber part to the handbar
安装衬垫




Step: 03

Install the holder and mount the screw
安装支架



Step: 04

Fix the screw as tight as possible
锁紧螺丝



Step: 05

Assemble the light to the holder
安装车灯



Step: 06

Adjust the best position
调整角度

NEW BRACKET SERIES / 新支架系列

ART.NO.
XC-FB-AART.NO.
XC-FB-SART.NO.
XC-FB-PART.NO.
XC-RB-SART.NO.
XC-BART.NO.
XC-RB-P

BRACKET / 支架

ART.NO.
20600157

Handlebar bracket

ART.NO.
20600003

Handlebar bracket

ART.NO.
20600004

Handlebar bracket

ART.NO.
20600018

Handlebar bracket

ART.NO.
20600146

Handlebar bracket

ART.NO.
20600041

Handlebar bracket

ART.NO.
20600147

Handlebar bracket

ART.NO.
20600031

Saddle bracket

ART.NO.
20600039

Saddle bracket

ART.NO.
20600155

Front fork bracket

ART.NO.
1030800096

Front fork bracket

ART.NO.
1030800097

Front fork bracket

ART.NO.
1030800121

Front fork bracket

ART.NO.
1030800124

Front fork bracket

ART.NO.
1030800126

Front fork bracket

ART.NO.
1030800223

Front fork bracket

ART.NO.
1030800265

Front fork bracket

ART.NO.
1030800266

Front fork bracket

ART.NO.
1030800274

Front fork bracket



NEW

ART.NO. **XC-2339**

E-bike front light
Aluminium alloy
Article size: 37.4X17.4X39mm
Adapte to: 12V



标准: K MARK
材质: 铝
电压: DC12V
尺寸: 37.4x17.4x39mm



NEW

ART.NO. **XC-2340**

E-bike front light
Aluminium alloy
Article size: 57.4X17.4X39mm
Adapte to: 12V



标准: K MARK
近光: 50lux (10米)
远光: 60lux (10米)
材质: 铝件
电压: DC12V
尺寸: 57.4x17.4x39mm



NEW

ART.NO. **XC-2326**

E-bike Head light
Functions: high beam / low beam
Article size: 43.8X37.5mm
Adapte to: 12V-48V



标准: K MARK/ECE R50/ISO 6742-1
功能: 远光、近光
近光: 120LUX/500LM
远光: 150LUX /1000LM
电压: 12V-48V
尺寸: 43.8X37.5mm



NEW

ART.NO. **XC-2331**

E-bike Head light
Functions: low beam
Article size: 32X31.5mm
Adapte to: 6V-12V



标准: K MARK/ECE R50/ISO 6742-1
功能: 近光
近光: 40LUX
电压: 6V-12V
尺寸: 32X31.5mm



NEW

ART.NO. **XC-331E**

E-bike Head light
Aluminium alloy
Functions: high beam/low beam
With built reflector
Article size: 50x46x46mm
Adapte to: 12V-48V



标准: CE/K-MARK/ISO 6742
功能: 远光、近光
材质: 铝合金
电压: 6V-48V
尺寸: 50x46x46mm





NEW

ART.NO. XC-2327

E-bike Head light
Functions: ON-OFF
Article size: 54 X 28 X 43mm
Adapte to: 12V-48V
标准: K MARK/ECE R50/ISO 6742-1
功能: 近光
近光: 50LUX
电压: 12V-48V
尺寸: 54 X 28 X 43mm



NEW

ART.NO. XC-360

E-bike Head light
Aluminium alloy
Functions: high beam/low beam
Article size: 55X77X48mm
Adapte to: 12V-48V
标准: ECE R50/K-MARK/ISO 6742
功能: 远光、近光
材质: 铝合金
电压: 6V-48V
尺寸: 55X77X48mm
亮度: 近光150LUX/远光200LUX




ART.NO. XC-297E

E-bike Head light
Aluminium alloy
With built reflector
Article size: 47x27x31mm
Adapte to: 12V-48V
标准: CE/K-MARK/ISO 6742
材质: 铝合金
电压: 12V-48V
尺寸: 47x27x31mm



ART.NO. XC-388

E-bike Head light
Functions: high beam / low beam / Daylight
Article size: 136x55mm
Adapte to: 12V-48V
标准: CE/ECE R50/ISO 6742
功能: 远光、近光、日间行车灯
近光: 120LUX / 500Lm
近光: 150LUX / 1000Lm
电压: 12V-48V
尺寸: 136x55mm



ART.NO. XC-259A

With built reflector
E-bike head light
Front fork fit
Article size: 53x40x52mm
Adapte to: 6V-48V
标准: CE/K-MARK/ISO 6742
材质: PMMA+ABS
电压: 6V-48V
尺寸: 53x40x52mm



ART.NO. XC-274E

With built reflector
E-bike head light
Aluminium shell
Article size: 60x50x64.3mm
Adapte to: 6V-48V




ART.NO. XC-332E

With built reflector
E-bike head light
Article size: 56x30.5x30.5mm
Adapte to: 6V-48V
标准: CE/K-MARK/ISO 6742/法标
材质: PMMA+ABS
电压: 6V-48V
尺寸: 56x30.5x30.5mm



ART.NO. XC-295E

E-bike Head light
With built reflector
Article size: 40x60x39mm
Adapte to: 6V-48V



ART.NO. XC-319E

E-bike head light
Article size: 38x38x34mm
Adapte to: 6V-48V
标准: CE/K-MARK/ISO 6742
材质: PMMA+ABS
电压: 6V-48V
尺寸: 38x38x34mm



ART.NO. XC-263E

E-bike head light
With built reflector(E1)
Article size: 76x60x70mm
Adapte to: 6V-48V

标准: CE
材质: PMMA+ABS
电压: 6V-48V
尺寸: 76x60x70mm



ART.NO. XC-264E

E-bike head light
Front fork fit
Article size: 40x40x60mm
Adapte to: 6V-48V

标准: CE
材质: PC+ABS
电压: 6V-48V
尺寸: 40x40x60mm



E-BIKE SAFETY LIGHTS



ART.NO. **XC-358F**

E-scooter front turn light
2pcs yellow LED
Adapte to: 6V/12V



车把转向灯
标准: CE / ECE R50
光源: 2 颗高亮度 LED
材质: ABS
电压: 6V/12V

ART.NO. **XC-358R**

E-scooter rear turn light
2pcs yellow LED
Adapte to: 6V/12V



后转向灯
标准: CE / ECE R50
光源: 2 颗高亮度 LED
材质: ABS
电压: 6V/12V



ART.NO. **XC-2335**

E-SCOOTER turn light
8pcs 2835 LED
Lighting value: 90CD
Article size: 43X38X38mm
Adapte to: 6V/12V



标准: ECE
光源: 8颗2835高亮度LED
亮度: 90cd
材质: PC
电压: DC6V/DC12V(外置控制器控制)
尺寸: 43x38x38mm

ART.NO. **XC-358C**

Front and rear integrated turn light
4pcs yellow LED
Adapte to: 6V/12V



前一体转向灯
标准: CE / ECE R50
光源: 4 颗高亮度 LED
材质: ABS
电压: 6V/12V




NEW

ART.NO. **XC-2341**

E-bike rear light
12pcs 3014 LED
Lighting value: 3CD
Article size: 64X14X13mm(W/O reflector)
Adapte to: 6-12V

标准: K MARK
光源: 12颗3014高亮度LED
亮度: 3cd
材质: PC
电压: DC6-12V
尺寸: 64x14x13mm(不含回复反射器尺寸)



E-BIKE IP67



NEW

ART.NO. **XC-2342**

E-bike rear light with brake light
12pcs 3014 LED & 4pcs 2525 LED
Lighting value: 3CD(rear light)
40CD(brake light)
Article size: 64X14X13mm(W/O reflector)
Adapte to: 6-12V

标准: K MARK
光源: 12颗3014高亮度LED/4颗2525高亮度LED
亮度: 位置灯3cd, 刹车灯40cd
材质: PC
电压: DC6-12V
尺寸: 64x14x13mm(不含回复反射器尺寸)



E-BIKE IP67




NEW

ART.NO. **XC-2343**

E-bike rear light
34pcs 3014 LED
Lighting value: 5cd
Article size: 79X36X14mm
Adapte to: 6-48V

标准: K MARK/Z MARK
光源: 34颗3014高亮度LED
亮度: 5cd
材质: PC/PMMA
电压: DC6-48V
尺寸: 79x36x14mm



E-BIKE IP67



NEW

ART.NO. **XC-2343P**

E-bike rear light with brake light
25pcs 3014 LED & 3pcs 2525 LED
Lighting value: 3CD(rear light)
40CD(brake light)
Article size: 79X36X14mm
Adapte to: 6-48V

标准: K MARK/Z MARK
光源: 25颗3014高亮度LED/3颗2525高亮度LED
亮度: 位置灯3cd, 刹车灯40cd
材质: PC/PMMA
电压: DC6-48V
尺寸: 79x36x14mm



E-BIKE IP67

ART.NO. **XC-2329**

E-bike rear light / turn light / stop light
With built reflector(CPSC)
Article size: 131.5 X27 X42mm
80mm Carrier fit mount
Adapte to: 6V-48V



E-BIKE IPX4 6Lm 80MM

标准: CE/CPSC
功能: 尾灯 / 转向灯 / 刹车灯
材质: PMMA+ABS
电压: 6V-48V
安装: 后货架 (螺距 80mm)
尺寸: 131.5 X27 X42mm

ART.NO. **XC-339E**

E-bike rear light (Fender Fit)
1 red LED
With built reflector
Article size: 29.5x37.5x51mm
Adapte to: 6V-48V



E-BIKE 4Lm IPX4

标准: CE / ISO6742 / K-MARK / 法标
光源: 1颗高亮度LED
功能: 泥板灯, 刹车灯
材质: PC+PMMA
电压: 6V-48V
安装: 泥板
尺寸: 29.5x37.5x51mm

ART.NO. **XC-354**

E-bike rear light
2 super bright red
Led+26pcs 4014 led
Functions: rear
Light/brake light
Article size: 95x22x15mm
Adapte to: 6-48v



E-BIKE IPX4 4Lm 50-80MM

标准: CE/ECE/国标/德标
光源: 2颗高亮度LED + 26颗4014LED
功能: 尾灯、刹车灯
材质: PMMA+ABS
电压: 6V-48V
安装: 后货架 (螺距 50 或 80mm)
尺寸: 95x22x15mm

ART.NO. **XC-359**

E-bike rear light
Carrier fit mount
function: rear light / brake light
Article size: 125x85x17.6mm
Adapte to: 6V-48V



E-BIKE IP67

标准: CE/ECE R50
功能: 尾灯、刹车灯
材质: PC+ABS
电压: 6V-48V
尺寸: 125x85x17.6mm

ART.NO. **XC-329E**

E-bike rear light
13 red LEDs
With built reflector
Article size: 55x32x32mm
Adapte to: 6V-48V



E-BIKE IP67 6Lm 0.5x8/0.5x5

标准: CE/ECE R50
功能: 尾灯、刹车灯、牌照灯
材质: PC+ABS
电压: 6V-48V
尺寸: 55x32x32mm



ART.NO. XC-286E

E-bike rear light
2 red LED
Sensor automatic brake light
With built reflector
Article size: 98×42×20mm
80mm or 50mm Carrier fit mount
Adapte to: 6V-48V



标准: CE/ISO 6742
光源: 2 颗高亮度 LED
功能: 尾灯
材质: PMMA+ABS
电压: 6V-48V
安装: 后货架 (螺距 50 或 80mm)
尺寸: 98×42×20mm



ART.NO. XC-286EP

E-bike rear light
6 red LED
With built reflector
Article size: 98×42×20mm
80mm or 50mm Carrier fit mount
Adapte to: 6V-48V



标准: CE/ISO 6742
光源: 6 颗高亮度 LED
功能: 尾灯/自动感应刹车灯
材质: PMMA+ABS
电压: 6V-48V
安装: 后货架 (螺距 50 或 80mm)
尺寸: 98×42×20mm



ART.NO. XC-172E

E-bike rear light
2 red LED
With built reflector(E1)
Article size: 99.5×38×13.5mm
80mm or 50mm Carrier fit mount
Adapte to: 6V-48V



标准: CE/德标/ISO 6742
光源: 2 颗高亮度 LED
功能: 尾灯
材质: PMMA+ABS
电压: 6V-48V
安装: 后货架 (螺距 50 或 80mm)
尺寸: 99×38×13mm



ART.NO. XC-318E

E-bike rear light(Fenderfit)
1 red LED
With built reflector
Article size: 52×31×28mm
Adapte to: 6V-48V



标准: CE/德标/ISO 6742
功能: 泥板尾灯、刹车灯
材质: PC+ABS
电压: 6V-48V
尺寸: 52×31×28mm



ART.NO. XC-333E

E-bike rear light (Fender fit)
1 red LED
With built reflector
Article size: 51×2×32mm
Adapte to: 6V-48V




标准: CE/德标/ISO 6742
光源: 1 颗高亮度 LED
功能: 尾灯、刹车灯
材质: PC+ABS
电压: 6V-48V
安装: 泥板
尺寸: 51×24×32mm



ART.NO. XC-327E

E-bike rear light (Seat post fit)
COB red LED
Bracket size: 25.4~31.8mm
Article size: 68×59×29mm
Adapte to: 6V-48V



标准: CE
光源: COB 高亮度 LED
材质: PMMA+ABS
电压: 6V-48V
尺寸: 68×59×29mm



ART.NO. XC-320E

E-bike rear light
With built reflector
Article size: 35×25×15mm
Adapte to: 6V-12V



标准: CE
功能: 尾灯
材质: PMMA+ABS
电压: 6V-12V
尺寸: 35×25×15mm





ART.NO. XC-314E

E-bike rear light
Steady- brake highlight
Article size: 25×25×12.5mm
Adapte to: 6V




标准: CE
光源: 1 颗高亮度 LED
功能: 尾灯
材质: PMMA+ABS
电压: 6V
尺寸: 25×25×12.5mm



LED LUMEN
=Light output
that the LED can produce, i.e.
the lighting capability of the LED



OPTICS
=It collects the light of the LED
with virtually no loss through
reflection and refraction



SURFACE LUX
=Effectiveness
indicates how much light reaches
a specific point on an illuminated surface.

- The higher the lumen value, the more light is provided by the lamp
- Lux values give information about the brightness of a point in the lighting pattern
- The optics determine the distribution of the light output from the LED
- The more the optics focuses the light, the greater the lux values are
- Good optics illuminate close-range, sides and long-range areas equally well

Production workshop and equipment / 生产车间和设备




advanced equipment 先进设备



Integ rating sphere
积分球




Shower test machine
雨淋测试仪



advanced equipment 先进设备



Standard specification production line 标准规范生产线



Professional lighting laboratory 专业灯光实验室



Waterproof test 防水性能测试

The company has professional testing equipment and advanced production equipment
公司拥有专业的检测设备和先进的生产设备



BETTER BICYCLE LIGHTS FOR A SAFER RIDING

